

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7108	selection adj2 mechanism	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 14:59
L2	1	l1 with discover\$2 adj2 agent\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 14:59
L3	1	l1 with (discover\$2 adj2 agent\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 14:59
L4	1	l1 with (active adj2 agent\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 15:00
L5	30	l1 with agent\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 15:00
S1	2	((("5742598") or ("5742598"))).PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 11:09
S2	2	((("5742598") or ("5742598, 6058423"))).PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 11:07
S3	2	((("5742598") or ("5742598and6058423and6311219a nd6453350"))).PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 11:07

S4	2	((("5742598") or ("5742598and6058423and6311219and6453350")).PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 11:07
S5	2	("6058423").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 11:10
S6	2	("6311219").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 11:10
S7	2	("6453350").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 11:11
S8	282825	709/220, "223", "223".ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 11:12
S9	282825	709/220, "223", "224".ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 11:12
S10	0	709/220,223, "224".ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 11:12
S11	282825	709/220, "223", "224".ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 11:13

S12	7	S11 and discover\$2 with agent\$1 with subnet	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 11:28
S13	33	discover\$2 with agent\$1 with subnet	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 11:49
S14	206	request with (identify\$3 near3 printer\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 12:20
S15	1	S14 and discover\$1 adj2 agent\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 11:51
S16	7	discover\$2 with (identify\$3 near2 printer\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 12:20
S17	2	("5699495").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 15:12
S18	2	("6286038").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 15:47
S19	26	search\$3 with (discover\$2 adj2 agent\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 16:22

S20	155	(transmit\$3 or propagat\$3) with (discover\$2 near2 request)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 18:29
S21	1	(neighbor\$4 adj3 subnet) same (discover\$3 adj2 agent\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 18:42
S22	821	discover\$3 with (network adj3 device\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 18:43
S23	2163	receive\$3 with address and stor\$3 with agent\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 18:44
S24	52	S22 and S23	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 11:10
S25	116	(discover\$2 near2 router\$1) with network	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 11:34
S26	0	S25 and ((receiv\$2 adj2 (network adj address)) same stor\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 11:12
S27	1	S25 and select\$3 with (discover\$3 adj2 agent\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 12:41

S28	65	select\$3 with (discover\$3 adj2 agent\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 12:43
-----	----	--	--	----	----	------------------